REHYDRAT C

Dietary compound feed for calves, lambs, kids and colts

Composition per 100 g

- Dextrose monohydrate 40.0 g (source of carbohydrates)
- Blonde plantain (Plantago ovata) 27.0 g
- Dry brewer's yeast 8.0 g
- Wheat starch 7.3 g
- Sodium bicarbonate 7.0 g
- Sodium chloride 5.0 g
- Potassium chloride 3.5 g
- Magnesium oxide 1.0 g

Additives per 100 g

Amino acids

L-glutamine 0.2 g (2 000 mg /kg)

Vitamins

Niacin (niacinamide) 0.8 g (8 000 mg /kg) Vitamin E (alpha tocopherol acetate) 0.2 g (2 000 mg /kg)

Analytical composition

Sodium 4.0 %, potassium 1.8 %, chlorides 8.5 %

Properties and indications

Use in animals at risk of dehydration, during periods of and recovery from digestive disorders (diarrhoea). *Plantago ovata* contained in the product, protects intestinal mucosa, whereas glutamine stimulates reconstruction and growth of intestinal cells.

Directions for use

Seek advice of a veterinarian before use.

Preparation of the solution:

Calves and colts

Mix 100 g of the product (1 sachet) with 2 litres of water or milk having temperature of 40 $^{\circ}$ C.

Lambs and kids

Mix 25 g of the product (1/4 sachet) with 0.5 litre of water or milk having temperature of 40 $^{\circ}$ C.

Administer the mixture within the maximum of 20 minutes after preparation, before the product turns into gel.

It is recommended to administer the solution every 12 hours,

- from 1 to 7 days
- from 1 to 3 days, if this is the only feeding method.

Animals must be provided with 24/7 access to fresh water.

Storage

Store in a dry and dark place at room temperature, in the original package.

Package size

Cardboard box containing 10 sachets x 100 g.

